



---

## PH Artichoke

---

**Design:**

Poul Henningsen

**Concept:**

The fixture provides 100% glare-free light. The 72 precisely positioned leaves form 12 unique rows of six leaves each. They illuminate the fixture as well as emitting diffused light with a unique pattern. The fixture provides decorative and comfortable lighting. For the energy saving LED variant the quality of light and atmosphere surrounding the product is kept at the highest level.

**Finish:**

Copper or stainless steel, brushed and coated. White, wet painted. Polished stainless steel: Polished.

**Material:**

Leaves: Punched copper, laser cut stainless steel or punched steel. Top shade: White, spun steel. Frame: High lustre chrome plated, laser cut steel. Suspension: High lustre chrome plated, spun aluminium.

**Mounting:**

Suspension type: E27 and Halolux: Cable 3 x 0,75mm<sup>2</sup> & wire. Canopy: Yes. Cable length: 4m. LED: Cable 2 x 0.75 mm<sup>2</sup> and wire. Canopy or external driver box contains driver. Cable length: 4m. Maximum distance between external driver box and fixture: 20m .

**Weight:**

Min: 4.8 kg Max: 27.3 kg

**Class:**

Ingress protection IP20. Electric shock protection I w. ground.

**Info notes:**

For LED replacement kits please do contact Louis Poulsen. The innovation of the LED technology is constant. The specifications mentioned are based on present technology. Please find updated information on products on our website [www.louispoulsen.com](http://www.louispoulsen.com).

**Specification notes:**

200W E27 is only available in Ø 480. Halolux 230W E27 and LED only available in Ø 600, Ø 720 and Ø 840. The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On [www.louispoulsen.com](http://www.louispoulsen.com) we update a list of recommendable light sources.

PRODUCT OVERVIEW

| Dimensions |                 | CCT/Watt/ Lumen | Light source | Finish              | Cable type   | Lighting control   | Plug           | Efficacy | Order-no.  |
|------------|-----------------|-----------------|--------------|---------------------|--------------|--------------------|----------------|----------|------------|
| -          | 2700K           | 96W             | LED 2700K    | -                   | -            | DIM 1-10V          | -              | -        |            |
| Ø 480      | -               | 1X200W          | E27          | COPPER              | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741092123 |
| Ø 480      | -               | 1X200W          | E27          | STAINL STEEL        | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741092136 |
| Ø 480      | -               | 1X200W          | E27          | WHT                 | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741092149 |
| Ø 480      | -               | 1X200W          | E27          | STAINL STEEL POLISH | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741097788 |
| Ø 600      | -               | 1X230W          | HALOLUX E27  | WHT                 | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741092398 |
| Ø 600      | -               | 1X230W          | HALOLUX E27  | COPPER              | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741092408 |
| Ø 600      | -               | 1X230W          | HALOLUX E27  | STAINL STEEL        | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741092411 |
| Ø 600      | -               | 1X230W          | HALOLUX E27  | STAINL STEEL POLISH | WHT TEX/WIRE | NONE               | NOT APPLICABLE | -        | 5741097801 |
| Ø 600      | 2700K 96.0 2151 | 96W             | LED 2700K    | STAINL STEEL        | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 22       | 5741096255 |
| Ø 600      | 2700K 96.0 2151 | 96W             | LED 2700K    | STAINL STEEL        | WHT TEX/WIRE | DALI               | INT. DRIVER    | 22       | 5741096271 |
| Ø 600      | 2700K 96.0 2151 | 96W             | LED 2700K    | STAINL STEEL POLISH | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 22       | 5741097827 |
| Ø 600      | 2700K 96.0 2151 | 96W             | LED 2700K    | STAINL STEEL POLISH | WHT TEX/WIRE | DALI               | INT. DRIVER    | 22       | 5741097843 |
| Ø 600      | 2700K 96.0 2151 | 96W             | LED 2700K    | STAINL STEEL        | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 22       | 5741098703 |
| Ø 600      | 2700K 96.0 2151 | 96W             | LED 2700K    | STAINL STEEL POLISH | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 22       | 5741098745 |
| Ø 600      | 2700K 96.0 2362 | 96W             | LED 2700K    | COPPER              | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 25       | 5741096336 |
| Ø 600      | 2700K 96.0 2362 | 96W             | LED 2700K    | COPPER              | WHT TEX/WIRE | DALI               | INT. DRIVER    | 25       | 5741096352 |
| Ø 600      | 2700K 96.0 2362 | 96W             | LED 2700K    | COPPER              | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 25       | 5741098729 |
| Ø 600      | 2700K 96.0 3272 | 96W             | LED 2700K    | WHT                 | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 34       | 5741096174 |
| Ø 600      | 2700K 96.0 3272 | 96W             | LED 2700K    | WHT                 | WHT TEX/WIRE | DALI               | INT. DRIVER    | 34       | 5741096190 |
| Ø 600      | 2700K 96.0 3272 | 96W             | LED 2700K    | WHT                 | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 34       | 5741098680 |
| Ø 600      | 3000K 96.0 2253 | 96W             | LED 3000K    | STAINL STEEL        | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 23       | 5741096297 |
| Ø 600      | 3000K 96.0 2253 | 96W             | LED 3000K    | STAINL STEEL        | WHT TEX/WIRE | DALI               | INT. DRIVER    | 23       | 5741096310 |
| Ø 600      | 3000K 96.0 2253 | 96W             | LED 3000K    | STAINL STEEL POLISH | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 23       | 5741097869 |
| Ø 600      | 3000K 96.0 2253 | 96W             | LED 3000K    | -                   | WHT TEX/WIRE | DALI               | INT. DRIVER    | 23       | 5741097885 |
| Ø 600      | 3000K 96.0 2253 | 96W             | LED 3000K    | STAINL STEEL        | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 23       | 5741098716 |
| Ø 600      | 3000K 96.0 2253 | 96W             | LED 3000K    | STAINL STEEL POLISH | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 23       | 5741098758 |
| Ø 600      | 3000K 96.0 2474 | 96W             | LED 3000K    | COPPER              | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 26       | 5741096378 |
| Ø 600      | 3000K 96.0 2474 | 96W             | LED 3000K    | COPPER              | WHT TEX/WIRE | DALI               | INT. DRIVER    | 26       | 5741096394 |
| Ø 600      | 3000K 96.0 2474 | 96W             | LED 3000K    | COPPER              | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 26       | 5741098732 |
| Ø 600      | 3000K 96.0 3427 | 96W             | LED 3000K    | WHT                 | WHT TEX/WIRE | DALI               | EXT. DRIVER    | 36       | 5741096213 |
| Ø 600      | 3000K 96.0 3427 | 96W             | LED 3000K    | WHT                 | WHT TEX/WIRE | DALI               | INT. DRIVER    | 36       | 5741096239 |
| Ø 600      | 3000K 96.0 3427 | 96W             | LED 3000K    | WHT                 | WHT TEX/WIRE | WIRELESS BLUETOOTH | INT. DRIVER    | 36       | 5741098693 |

|       |                 |                                                          |                                                     |                                 |                  |    |            |
|-------|-----------------|----------------------------------------------------------|-----------------------------------------------------|---------------------------------|------------------|----|------------|
| Ø 720 | -               | 1X230W HALOLUX E27 WHT                                   |                                                     | WHT TEX/WIRE NONE               | NOT APPLICABLE - |    | 5741092424 |
| Ø 720 | -               | 1X230W HALOLUX E27 COPPER                                |                                                     | WHT TEX/WIRE NONE               | NOT APPLICABLE - |    | 5741092437 |
| Ø 720 | -               | 1X230W HALOLUX E27 STAINL STEEL                          |                                                     | WHT TEX/WIRE NONE               | NOT APPLICABLE - |    | 5741092440 |
| Ø 720 | -               | 1X230W HALOLUX E27 STAINL STEEL POLISH WHT TEX/WIRE NONE |                                                     |                                 | NOT APPLICABLE - |    | 5741097908 |
| Ø 720 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL                                        | WHT TEX/WIRE DALI               | INT. DRIVER      | 25 | 5741098392 |
| Ø 720 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL POLISH WHT TEX/WIRE DALI               |                                 | INT. DRIVER      | 25 | 5741098415 |
| Ø 720 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL                                        | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 25 | 5741098855 |
| Ø 720 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL POLISH WHT TEX/WIRE WIRELESS BLUETOOTH |                                 | INT. DRIVER      | 25 | 5741098871 |
| Ø 720 | 2700K 96.0 2749 | 96W LED 2700K                                            | COPPER                                              | WHT TEX/WIRE DALI               | INT. DRIVER      | 29 | 5741098402 |
| Ø 720 | 2700K 96.0 2749 | 96W LED 2700K                                            | COPPER                                              | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 29 | 5741098868 |
| Ø 720 | 2700K 96.0 3210 | 96W LED 2700K                                            | WHT                                                 | WHT TEX/WIRE DALI               | INT. DRIVER      | 33 | 5741098389 |
| Ø 720 | 2700K 96.0 3210 | 96W LED 2700K                                            | WHT                                                 | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 33 | 5741098842 |
| Ø 720 | 3000K 96.0 2499 | 96W LED 3000K                                            | STAINL STEEL                                        | WHT TEX/WIRE DALI               | EXT. DRIVER      | 26 | 5741095816 |
| Ø 720 | 3000K 96.0 2499 | 96W LED 3000K                                            | STAINL STEEL                                        | WHT TEX/WIRE DALI               | INT. DRIVER      | 26 | 5741095832 |
| Ø 720 | 3000K 96.0 2499 | 96W LED 3000K                                            | STAINL STEEL POLISH WHT TEX/WIRE DALI               |                                 | EXT. DRIVER      | 26 | 5741097940 |
| Ø 720 | 3000K 96.0 2499 | 96W LED 3000K                                            | STAINL STEEL POLISH WHT TEX/WIRE DALI               |                                 | INT. DRIVER      | 26 | 5741097953 |
| Ø 720 | 3000K 96.0 2499 | 96W LED 3000K                                            | STAINL STEEL                                        | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 26 | 5741098774 |
| Ø 720 | 3000K 96.0 2499 | 96W LED 3000K                                            | STAINL STEEL POLISH WHT TEX/WIRE WIRELESS BLUETOOTH |                                 | INT. DRIVER      | 26 | 5741098790 |
| Ø 720 | 3000K 96.0 2879 | 96W LED 3000K                                            | COPPER                                              | WHT TEX/WIRE DALI               | EXT. DRIVER      | 30 | 5741095858 |
| Ø 720 | 3000K 96.0 2879 | 96W LED 3000K                                            | COPPER                                              | WHT TEX/WIRE DALI               | INT. DRIVER      | 30 | 5741095874 |
| Ø 720 | 3000K 96.0 2879 | 96W LED 3000K                                            | COPPER                                              | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 30 | 5741098787 |
| Ø 720 | 3000K 96.0 3362 | 96W LED 3000K                                            | WHT                                                 | WHT TEX/WIRE DALI               | EXT. DRIVER      | 35 | 5741095777 |
| Ø 720 | 3000K 96.0 3362 | 96W LED 3000K                                            | WHT                                                 | WHT TEX/WIRE DALI               | INT. DRIVER      | 35 | 5741095793 |
| Ø 720 | 3000K 96.0 3362 | 96W LED 3000K                                            | WHT                                                 | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 35 | 5741098761 |
| Ø 840 | -               | 1X230W HALOLUX E27 WHT                                   |                                                     | WHT TEX/WIRE NONE               | NOT APPLICABLE - |    | 5741092453 |
| Ø 840 | -               | 1X230W HALOLUX E27 COPPER                                |                                                     | WHT TEX/WIRE NONE               | NOT APPLICABLE - |    | 5741092466 |
| Ø 840 | -               | 1X230W HALOLUX E27 STAINL STEEL                          |                                                     | WHT TEX/WIRE NONE               | NOT APPLICABLE - |    | 5741092479 |
| Ø 840 | -               | 1X230W HALOLUX E27 STAINL STEEL POLISH WHT TEX/WIRE NONE |                                                     |                                 | NOT APPLICABLE - |    | 5741097979 |
| Ø 840 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL                                        | WHT TEX/WIRE DALI               | INT. DRIVER      | 25 | 5741098431 |
| Ø 840 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL POLISH WHT TEX/WIRE DALI               |                                 | INT. DRIVER      | 25 | 5741098457 |
| Ø 840 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL                                        | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 25 | 5741098897 |
| Ø 840 | 2700K 96.0 2386 | 96W LED 2700K                                            | STAINL STEEL POLISH WHT TEX/WIRE WIRELESS BLUETOOTH |                                 | INT. DRIVER      | 25 | 5741098910 |
| Ø 840 | 2700K 96.0 2749 | 96W LED 2700K                                            | COPPER                                              | WHT TEX/WIRE DALI               | INT. DRIVER      | 29 | 5741098444 |
| Ø 840 | 2700K 96.0 2749 | 96W LED 2700K                                            | COPPER                                              | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 29 | 5741098907 |
| Ø 840 | 2700K 96.0 3210 | 96W LED 2700K                                            | WHT                                                 | WHT TEX/WIRE DALI               | INT. DRIVER      | 33 | 5741098428 |
| Ø 840 | 2700K 96.0 3210 | 96W LED 2700K                                            | WHT                                                 | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER      | 33 | 5741098884 |

|       |                 |               |                                                     |                                 |             |    |            |
|-------|-----------------|---------------|-----------------------------------------------------|---------------------------------|-------------|----|------------|
| Ø 840 | 3000K 96.0 2499 | 96W LED 3000K | STAINL STEEL                                        | WHT TEX/WIRE DALI               | EXT. DRIVER | 26 | 5741095971 |
| Ø 840 | 3000K 96.0 2499 | 96W LED 3000K | STAINL STEEL                                        | WHT TEX/WIRE DALI               | INT. DRIVER | 26 | 5741095997 |
| Ø 840 | 3000K 96.0 2499 | 96W LED 3000K | STAINL STEEL POLISH WHT TEX/WIRE DALI               |                                 | EXT. DRIVER | 26 | 5741098017 |
| Ø 840 | 3000K 96.0 2499 | 96W LED 3000K | STAINL STEEL POLISH WHT TEX/WIRE DALI               |                                 | INT. DRIVER | 26 | 5741098020 |
| Ø 840 | 3000K 96.0 2499 | 96W LED 3000K | STAINL STEEL                                        | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER | 26 | 5741098813 |
| Ø 840 | 3000K 96.0 2499 | 96W LED 3000K | STAINL STEEL POLISH WHT TEX/WIRE WIRELESS BLUETOOTH |                                 | INT. DRIVER | 26 | 5741098839 |
| Ø 840 | 3000K 96.0 2879 | 96W LED 3000K | COPPER                                              | WHT TEX/WIRE DALI               | EXT. DRIVER | 30 | 5741096019 |
| Ø 840 | 3000K 96.0 2879 | 96W LED 3000K | COPPER                                              | WHT TEX/WIRE DALI               | INT. DRIVER | 30 | 5741096035 |
| Ø 840 | 3000K 96.0 2879 | 96W LED 3000K | COPPER                                              | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER | 30 | 5741098826 |
| Ø 840 | 3000K 96.0 3362 | 96W LED 3000K | WHT                                                 | WHT TEX/WIRE DALI               | EXT. DRIVER | 35 | 5741095939 |
| Ø 840 | 3000K 96.0 3362 | 96W LED 3000K | WHT                                                 | WHT TEX/WIRE DALI               | INT. DRIVER | 35 | 5741095955 |
| Ø 840 | 3000K 96.0 3362 | 96W LED 3000K | WHT                                                 | WHT TEX/WIRE WIRELESS BLUETOOTH | INT. DRIVER | 35 | 5741098800 |

## SPAREPART

| Product name:                         | Ordering number: |
|---------------------------------------|------------------|
| PH ARTICHOKE Ø480 CANOPY WHT          | 5741086223       |
| PH ARTICHOKE/LOUVRE/LP CENTRUM CANOPY | 5741480272       |

## SUSPENSION

| Product name:                            | Ordering number: |
|------------------------------------------|------------------|
| PH ART 720/840 SUSP LED-DA 3K W/INT DRV  | 5741095625       |
| PH ART 720/840 SUSP LED-DA 3K W/EXT DRV  | 5741095641       |
| PH ART Ø600 SUSP LED-DA 27K EXT/DRV      | 5741096093       |
| PH ART Ø600 SUSP LED-DA 27K INT/DRV      | 5741096116       |
| PH ART Ø600 SUSP LED-DA 3K EXT/DRV       | 5741096132       |
| PH ART Ø600 SUSP LED-DA 3K INT/DRV       | 5741096158       |
| PH ART Ø600 SUSP LED-WB 27K INT/DRV      | 5741098648       |
| PH ART Ø600 SUSP LED-WB 3K INT/DRV       | 5741098651       |
| PH ART 720/840 SUSP LED-WB 3K W/INT DRV  | 5741098664       |
| PH ART 720/840 SUSP LED-WB 27K W/INT DRV | 5741098677       |